

## 90 INDEX

- 2  
2,4-D..... 36, 54, 58
- A**
- Abound ..... 4, 12, 16, 17  
acetic acid.....45  
Actara ..... 5, 20, 24, 29, 30  
action threshold..... 18, 20, 21, 24  
adjuvants.....46  
Admire..... 5, 27, 28, 30  
algae.....55, 56, 79  
algaecide .....55  
Alias ..... 27, 28  
Alette ..... 10, 17  
Altacor ..... 19, 22, 23, 25  
annual grasses.....43, 58  
annual plants.....32  
antitranspirants.....82  
aquatic weeds .....55, 57  
Assail ..... 23, 24, 25  
asters.....33, 38, 50  
Avaunt ..... 5, 20-22, 24, 30  
Azadirachtin ..... 31
- B**
- B.t ..... 19, 21, 24, 31  
barley straw.....55  
Basamid.....58  
bees ..... 20, 30, 81  
Belay..... 24, 27, 28, 29  
biennial plants .....32  
biopesticide .....45  
black vine weevil.....27  
blackberry.....42  
black-headed fireworm ..... 17-19, 22, 23, 31, 35  
bladderwort.....57, 58  
Blazon Blue .....49  
blossomworm ..... 18, 20, 30, 31  
brambles.....35, 78  
brown spanworm ..... 18, 21  
burning .....36, 58
- C**
- calcium-boron.....67  
Callisto ..... 4, 34, 36, 38-43, 49, 51, 56  
carbohydrate loss .....83  
Casoron ..... 27, 34, 38-40, 42, 43, 46, 47, 66, 81  
cattails.....57  
chemigation..... 10, 19, 29, 31, 58  
chlorothalonil ..... 9, 13, 87  
chokeberry ..... 40  
cinquefoil ..... 38, 54  
clippers..... 53  
clipping .....35, 36, 41  
clover ..... 43, 50  
Confirm ..... 19, 20  
conservation seed mixes ..... 56  
copper .....17, 56, 79  
copper sulfate ..... 55, 56  
cranberry flea beetle..... 29  
cranberry fruitworm ..... 18, 19, 25, 26, 30, 31, 80  
cranberry girdler .....18, 19, 28, 31  
cranberry root grub ..... 27  
cranberry weevil .....18, 24, 25, 31  
crop oil ..... 49, 51  
crop oil concentrates ..... 46  
crop water stress index..... 74  
Crossbow ..... 58  
Cutrine-Plus..... 55, 56  
cutworms .....18, 20, 24, 80
- D**
- Delegate ..... 5, 19, 20-26, 29, 30  
Devrinol.....32, 40, 41, 48, 49  
dewberry..... 35, 40, 53, 54, 58, 81  
dewpoint..... 15  
dichlobenil..... 46, 48, 49, 50, 51  
dike stabilization ..... 56  
Diquat ..... 57, 58  
ditch stabilization ..... 56  
ditch weeds..... 55  
dodder..... 33, 34, 39, 47, 49, 50, 54, 81  
drainage..... 10, 40, 45, 48, 66, 69  
duckweed..... 55, 57
- E**
- egg monitoring ..... 26  
elodea ..... 58  
emersed weeds ..... 55  
Entrust ..... 19, 31  
evaporative demand..... 74  
Evital .....40, 42, 48
- F**
- fairy ring ..... 16  
fall floods ..... 35  
false armyworm..... 18, 20, 30, 31, 80  
false blossom ..... 17  
fanwort ..... 57  
Ferbam..... 13, 16  
ferns..... 43

<i>fertilizer</i>	
<i>applying</i> .....	67
<i>calculating rates</i> .....	73
<i>effects of weather</i> .....	72
<i>fall, use of</i> .....	71
<i>fish</i> .....	67
<i>late water</i> .....	72, 79
<i>minor elements</i> .....	66
<i>pest, cultural practices</i> .....	72
<i>soil and tissue</i> .....	68
<i>soil samples</i> .....	69
<i>tissue samples</i> .....	68
<i>yellow vine</i> .....	66
<i>fireweed</i> .....	45
<i>fireworms</i> .....	18
<i>fish fertilizer</i> .....	63
<i>fish toxicity</i> .....	8
<i>flame cultivation</i> .....	35, 41, 44, 54, 55, 81
<i>flea beetle</i> .....	18, 27, 28, 29
<i>floating weeds</i> .....	57
<i>floods</i>	
<i>black vine weevil</i> .....	27
<i>dodder</i> .....	35
<i>fall</i> .....	27, 28, 35, 78, 81
<i>fireworm</i> .....	17, 22, 23
<i>flash</i> .....	72
<i>girdler</i> .....	28
<i>grubs</i> .....	27
<i>harvest</i> .....	15, 63
<i>insects</i> .....	30
<i>southern red mite</i> .....	29
<i>spring</i> .....	35
<i>summer</i> .....	27, 35, 58, 72
<i>trash</i> .....	15, 28, 34
<i>winter</i> .....	15, 22, 27, 31, 41, 79, 82
<i>fluazifop</i> .....	58
<i>frost protection</i> .....	31, 79, 84
<i>frost, effect on herbicide movement</i> .....	46
<i>fruit rot</i> .....	9, 11, 15, 17, 61, 80, 87
<i>fruitworm egg monitoring</i> .....	26
<i>fumigants</i> .....	58
<i>Fusilade</i> .....	58
<b>G</b>	
<i>girdler</i> .....	19, 28, 30, 31
<i>glyphosate</i> .....	35, 38, 40-42, 44, 51-53, 58, 81
<i>goldenrod</i> .....	33, 38, 50
<i>grass carp</i> .....	57
<i>grass seed</i> .....	56
<i>grasses</i> .....	40, 43, 48, 49, 51, 52
<i>green manure</i> .....	43
<i>green spanworm</i> .....	18, 21, 30
<i>greenbrier</i> .....	36, 38
<i>greenleaf</i> .....	36, 38
<i>greenleaf sawbrier</i> .....	38
<i>groundwater protection list</i> .....	85, 86, 87
<i>growth regulator</i> .....	19
<i>grubs</i> .....	27
<i>gypsy moth</i> .....	18, 24, 30, 31
<b>H</b>	
<i>handheld torches</i> .....	54
<i>handler restrictions</i> .....	25, 34, 50
<i>hardhack</i> .....	44
<i>harvest floods</i>	
<i>P reduction</i> .....	63
<i>herbicide movement after rain or frost</i> .....	46
<i>herbicides</i> .....	46
<i>Hoplia equina</i> .....	27
<i>humped green fruitworm</i> .....	20
<i>hydrilla</i> .....	57
<b>I</b>	
<i>Imidan</i> .....	21, 25
<i>Indar</i> .....	16, 17
<i>insecticidal soap</i> .....	31
<i>Intrepid</i> .....	18-26, 30
<i>invasive species</i> .....	41, 44
<i>iron sulfate</i> .....	43, 47
<i>irrigation</i> .....	13, 15, 47, 48, 50-52, 55, 56, 59, 66, 74-76, 79, 82
<b>J</b>	
<i>Japanese knotweed</i> .....	44
<i>joe-pye weed</i> .....	44
<b>K</b>	
<i>keeping quality forecast</i> .....	11
<i>knife-raking</i> .....	35
<b>L</b>	
<i>late water</i> .....	30, 47
<i>algae</i> .....	56
<i>bees</i> .....	81
<i>cranberry fruitworm</i> .....	80
<i>crop reduction</i> .....	78
<i>fertilizer</i> .....	72
<i>fertilizer</i> .....	79
<i>fruit rot</i> .....	15
<i>herbicides</i> .....	81
<i>insects</i> .....	18, 20, 24, 25, 31
<i>mites</i> .....	29
<i>out-of-bloom</i> .....	26
<i>pesticide reduction</i> .....	78
<i>sanding</i> .....	17
<i>scouting practice</i> .....	26

## 92 INDEX

- southern red mite .....29, 81
- weeds.....58, 81
- leaf drop .....83
- leafminer .....30
- leatherleaf.....40
- loosestrife..... 23, 33, 39, 50
- lush vines
  - fruit rot .....15
- M
- MA Fish and Wildlife.....57
- mancozeb .....13, 17
- meadowsweet .....44
- Mexican bamboo.....44
- minor element .....66
- minor weeds .....44
- mites.....29, 81
- moisture sensors.....74
- mosses .....45
- N
- napropamide .....48
- narrow-leaved goldenrod .....38, 50
- Nautique.....55, 56
- Neem .....31
- nematodes..... 27, 28, 31
- neonicotinoids .....19
- new plantings ..... 40, 44, 48, 82
- Nexter..... 5, 29, 30
- nitrogen ..... 43, 56, 59-63, 66, 68, 69, 71, 73
- nutrient deficiencies .....66
- O
- Oberon.....29
- OMRI .....31
- orangegrass.....40
- organic..... 17, 19, 31, 54, 63, 67, 69, 72, 74
- organic insect management.....31
- oriental beetle .....27
- out-of-bloom ..... 25, 26
- oxygen deficiency .....82
- P
- perennial grasses.....40
- perennial plants.....32
- pesticide storage .....89
- pheromone traps..... 18, 22, 23, 27, 28
- phosphorus..... 59, 63, 64, 69
- phragmites .....41
- physiological drought .....82
- phytophthora root rot .....10
- pinweed .....40
- pitchfork .....45, 50
- plant growth regulators..... 34
- Poast..... 40, 51
- Poison Control phone number ..... 8
- poison ivy ..... 36, 53
- potassium .....54, 59, 65, 66, 69
- preemergence herbicides..... 46
- Princep ..... 32
- Private Applicator Certification..... 8
- protective lotions ..... 36
- pruning ..... 15, 35
- public waters ..... 56
- Pyganic ..... 21, 31
- Q
- Quinclorac..... 50
- QuinStar..... 34, 39
- R
- ragweed..... 45, 50
- rainfast ..... 3
- raking..... 34
- red maple..... 41
- reducing inputs ..... 18
- Reglone..... 58
- resistance management .....4, 17, 36, 49
- resistant varieties ..... 15
- restricted use ..... 8, 20
- Reward..... 57
- Ridomil..... 4, 10
- Rodeo..... 51, 57
- root grub..... 27
- Roundup..... 35, 36, 38, 41, 52, 53, 89
- rushes..... 41, 54
- S
- salt .....43, 47, 54
- sanding ..... 17, 28, 30, 31, 69, 72, 74, 78, 83
- sanitation..... 33
- sawbrier ..... 36, 81
- scald..... 15
- scarab grubs ..... 27
- scouting ..... 18, 26, 30, 33, 80, 87
- scouting practice..... 26
- scum..... 55, 79
- sedges ..... 41
- seed mix..... 56
- Select ..... 52
- sheep laurel ..... 41
- silverleaf ..... 36
- soil samples..... 69
- soil standards..... 70
- southern red mite .....29, 78, 81
- spanworm.....18, 21, 24

spanworms ..... 20, 21, 24, 80  
*Sparganothis fruitworm* ..... 18, 19, 23, 81  
*spinosyn-based products* ..... 19  
*Spray Tracer* ..... 49  
*spring floods* ..... 35  
*Stinger* ..... 38, 39, 43, 44, 50  
*strawberry root weevil* ..... 27  
*striped colaspis* ..... 28  
*submersed weeds* ..... 55, 57  
*sulfate* ..... 45  
*sulfur* ..... 38, 43, 54, 67  
*SulPoMag* ..... 67, 72  
*summer re-flood* ..... 27, 35  
*surfactant* ..... 52  
*sweeping* ..... 18, 22

T

*tank mixes* ..... 10, 17  
*tensiometer* ..... 74, 75  
*thermal weeding* ..... 35, 41, 54  
*tipworm* ..... 29  
*tissue samples* ..... 68, 69  
*tissue standards* ..... 69  
*trash* ..... 15, 22, 28, 34, 69, 89  
*trash removal* ..... 15

U

*Ultra Flourish* ..... 10  
*upright bramble* ..... 42  
*upright dieback* ..... 9, 13, 34, 87

V

*Vapam* ..... 58  
*Vapor Gard* ..... 82  
*vetch* ..... 43  
*vinegar* ..... 54  
*virginicus* ..... 37

W

*water lettuce* ..... 55  
*water level floats* ..... 74, 75  
*water lilies* ..... 57  
*water quality* ..... 71  
*water-holding times* ..... 3, 9  
*watermilfoil* ..... 57  
*weed life cycles* ..... 32  
*weed maps* ..... 32  
*weed priority group* ..... 32  
*Weedar 64* ..... 36, 40, 42, 54  
*Weedone CB* ..... 58  
*weeds*  
     *aquatic* ..... 55, 57  
     *ditch* ..... 55  
     *invasive species* ..... 41, 44  
*weeds, minor* ..... 44  
*weevil* ..... 18, 24, 27-29  
*Wellhead Protection Area* ..... 85  
*white grub* ..... 18, 27  
*white violet* ..... 45  
*Widow* ..... 27, 28  
*wild bean* ..... 39, 50, 54  
*winter flood* ..... 82  
*winter moth* ..... 21  
*winterkill* ..... 78, 82, 83  
*wiping tips* ..... 53

Y

*yellow loosestrife* ..... 39  
*yellow vine* ..... 47, 66  
*yellow-headed fireworm* ..... 23

Z

*Zone II* ..... 9, 13, 19-25, 29, 85-87