

## INDEX

- 
- abound .....2, 4-6  
 actara..... 8, 13, 18, 19, 60, 63  
 adjuvants.....30, 38, 41  
 admire ..... 16, 17, 19  
 algae.....34, 36, 37  
 aliette ..... 1, 2, 5, 6  
 annual grasses.....32, 36  
 aquatic weeds.....34-35  
 asters .....21, 27, 33, 40  
 avaunt .....9, 12-13, 19, 63  
  
 barley straw ..... 34  
 basamid.....37  
 bees ..... 8-14, 16-20, 42, 57  
 black vine weevil..... 16  
 black-headed fireworm..5, 7-10, 18, 20, 23  
 blazon blue ..... 24, 36  
 blossomworm .....7, 11, 18-20  
 brambles.....23, 46  
 brown spanworm..... 7, 12  
  
 callisto ..... 22-28, 30, 32-33, 36, 38  
 casoron..... 16, 22-23, 25-36, 43, 57  
 chokeberry.....27  
 chlorothalonil.....1-2, 6, 60, 62  
 cinquefoil.....27-28, 40  
 clipper applicators..... 21, 39  
 clipping ..... 23-24, 26, 30  
 clover .....33, 40  
 conversions ..... 44, 64  
 copper .....1, 3, 5, 6, 20, 34, 36-37, 44  
 cranberry flea beetle..... 18  
 cranberry fruitworm..... 7, 14-15, 18-20, 57  
 cranberry girdler..... 8, 17, 20  
 cranberry root grub..... 16  
 cranberry weevil.....7, 13, 20, 63  
 crop oil ..... 23, 30, 32, 38, 40  
 crop water stress index .....53  
 crossbow .....35, 37  
 cutrine-plus.....34, 36  
 cutworms ..... 7, 11, 13, 18, 57  
  
 delegate.....8-12, 14, 18, 19  
 devrinol..... 21, 25, 28-29, 32, 36-37  
 dewberry .....23-25, 28, 36, 39  
 dichlobenil.....36  
  
 diquat ..... 34, 37, 38  
 ditch management.....35  
 dodder .....21-23, 25, 36, 57  
 drainage ..... 1, 2, 29, 30, 37, 43, 44, 51  
 duckweed ..... 34-35  
  
 evital ..... 28, 29, 32, 37  
  
 fairy ring ..... 4  
 fall floods.....23  
 false armyworm .....7, 11, 18-20, 57  
 false blossom ..... 5  
 ferbam..... 2, 4, 6  
 ferns ..... 33  
 fertilizer  
     application method .....50-52  
     calculations .....47  
     fish..... 48-50  
     major elements.....45, 49  
     minor elements ..... 49  
     nitrogen..... 42, 44-48, 50-52  
     phosphorus reduction.....42, 45-48  
     soil samples ..... 44  
     sources ..... 48  
     timing.....48-51  
     tissue samples & standards.....43-45  
     use with late water ..... 52  
     yellow vine ..... 42  
 fireweed ..... 31  
 fireworms..... 7  
 flea beetle..... 18  
 frost protection..... 20, 55, 58  
 fruit rot..... 1-5, 18, 55-56, 62  
 fruitworm  
     cranberry..... 7, 14-15, 18-20, 57  
     sparganthis ..... 7-8, 10, 57  
 fumigants ..... 37  
  
 girdler ..... 8, 17, 19-20  
 glyphosate..... 21-35, 38-39, 57  
 goldenrod..... 21, 26, 33, 40  
 grasses..... 29-32, 36-38  
 green spanworm.....7, 12, 18-19  
 greenbrier.....24-25  
 greenleaf .....24-25  
 green manure ..... 33

groundwater protection regulation ....	60-63	perennial grasses.....	29
grubs .....	16-17	pesticide storage.....	64
gypsy moth .....	7, 11, 13, 18-20, 56	pheromone traps .....	8-10, 16-17
hardhack .....	32	phosphorus reduction.....	42-45
hoplia equina .....	16	phostrol.....	1, 6
humped green fruitworm .....	11	phragmites .....	30
indar.....	2, 4-6	phytophthora root rot.....	1
intrepid.....	8-14, 19, 60	pitchfork .....	31, 40
iron sulfate .....	27, 31, 33, 37-38	poast.....	30, 32, 38, 40
irrigation .....	1-3, 36-38, 40, 43, 51, .....53-54, 56	poison ivy .....	24-25, 39
joe-pye weed.....	31	potassium.....	42, 44-46, 48
keeping quality forecast.....	2, 5	princep .....	31, 38, 60
knife raking .....	23	protective lotions .....	25
late water .....	3, 5, 7, 10-11, 13-15, 18, 20, ..... 23, 35-37, 52, 55-57	pruning.....	3, 23, 51
leatherleaf.....	28	ragweed.....	31, 40
leafminer.....	19	raking .....	22-23
loosestrife.....	10, 21, 25-26	red maple .....	30
lush vines.....	3	reglone .....	38
mancozeb, maneb .....	3, 5, 6	resistant varieties .....	4
maple .....	30	ridomil .....	1, 2, 6
meadowsweet .....	31	rodeo.....	34, 38
minor weeds.....	33	root grub .....	16
mites, southern red.....	18, 20, 57	root rot .....	1
mosses.....	30	roundup.....	21, 23-26, 28, 30-32, 35, 38-39
napropamide .....	37	roundup ultra .....	39
narrow-leaved goldenrod.....	26, 33, 40	rushes.....	28-29, 40
nematodes .....	16-17, 19-20	salt.....	25, 29, 33, 38, 40, 45
new plantings .....	21, 32, 36-38	sanding.....	1, 5, 17, 19-20, ..... 36-37, 44, 52, 55, 59
nexter .....	18-19	sawbrier .....	24-25
nitrogen.....	42-48, 50-52	scouting.....	7, 15, 18, 21-22, 57, 62
nonionic surfactants .....	23, 24, 26, 27, .....34, 39, 41	scum.....	34, 37, 55
norflurazon .....	37	sedges .....	28, 38
organic.....	8, 20, 44, 48-50, 52	select.....	30, 32, 40
oriental beetle .....	16	sethoxydim .....	38
out-of-bloom.....	14-15	sheep laurel.....	28
oxygen deficiency.....	1, 58-59	silverleaf .....	24
		simazine.....	38, 60
		soil samples .....	43
		soil standards .....	43
		sources .....	15, 47
		southern red mite .....	18, 20, 57
		spanworm .....	7, 11-13, 18, 19, 57

sparganothis fruitworm.....	7-8, 10, 57
spray tracer .....	36, 39
spring floods .....	23
stinger .....	25-27, 31, 33, 40
strawberry root weevil.....	16
striped colaspis .....	17
sulfur.....	6, 27, 33, 40, 44, 48-49
summer refloods .....	23
supplemental labels .....	38-39
sweeping .....	7, 9
tipworm.....	17, 19
tissue samples .....	43-44
tissue standards.....	44
trash .....	9, 17, 22, 44
trash flow .....	22
trash removal .....	3
2,4-D.....	24, 35, 37
upright bramble .....	30
upright dieback.....	1-2, 22, 62
vapam .....	37
vetch .....	33
vinegar .....	30
watermilfoil .....	34
water monitoring .....	53-54
weed.....	8, 10, 19, 48, 55-57
weed mapping.....	21
weedab 64.....	24, 26-28, 30-31, 34, 37
weedone cb .....	35, 37
weevil .....	7, 13, 16, 20, 60, 63
white grub.....	7, 16
white violet.....	31
wild bean .....	25, 40
winter injury .....	1, 51
winterkill.....	55, 58-59
wiping tips .....	39
yellow loosestrife.....	25
yellow-headed fireworm.....	10
yellow tipping .....	36
yellow vine .....	22, 41
Zone II .....	8-13, 18, 19, 38, 60-63